November 5, 2026

DGTR

Elevator guide rail probe: replies moved to November 28

DGTR is weighing scope and PCN comments in its anti-dumping probe on T-shaped elevator guide rails from China and moves replies to November 28, 2026.

THE DIRECTORATE GENERAL of Trade Remedies (DGTR), in the Department of Commerce of the Ministry of Commerce & Industry, issued a letter dated November 5, 2026 under F. No. 6/43/2026-DGTR to all interested parties. It concerns the anti-dumping investigation into imports of "T-Shaped Elevator/ Lift Solid Guide Rails" originating in or exported from China, initiated on September 25, 2026 on an application by Savera India Riding Systems Company Private Limited, supported by N. Liftee Engineers. The initiation covers solid guide rails up to and including 127 mm cross-sectional width and sets the period of investigation as April 1, 2025 to March 31, 2026.

KEY FACTS

AUTHORITY

DGTR

PUBLISHED

November 5, 2026

ISSUED BY

Directorate General of Trade Remedies, Department of Commerce, Ministry of Commerce & Industry

DOCUMENT

Letter to all interested parties, F. No. 6/43/2026-DGTR



Elevator guide rail probe: replies moved to November 28

DGTR · November 5, 2026

The Directorate General of Trade Remedies (DGTR), in the Department of Commerce of the Ministry of Commerce & Industry, issued a letter dated November 5, 2026 under F. No. 6/43/2026-DGTR to all interested parties. It concerns the anti-dumping investigation into imports of "T-Shaped Elevator/ Lift Solid Guide Rails" originating in or exported from China, initiated on September 25, 2026 on an application by Savera India Riding Systems Company Private Limited, supported by N. Liftee Engineers. The initiation covers solid guide rails up to and including 127 mm cross-sectional width and sets the period of investigation as April 1, 2025 to March 31, 2026.

Under the current schedule, questionnaire responses were due on the SETU portal by November 7, 2026. DGTR has received submissions on the scope of the product under consideration (PUC) and proposed revisions to the Product Control Number (PCN) methodology. The letter says these are technical, and include requests to exclude specific products and to add PCN parameters. DGTR also received requests to extend the questionnaire deadline.

The comments are under consideration. Whether or not the scope and the PCN methodology change, DGTR says it will shortly issue a notification addressing them. Meanwhile, because the PCN methodology is not final and to keep the SETU portal working smoothly, DGTR grants an ad-interim extension for all questionnaire responses up to November 28, 2026.

The letter cites para 35 of the initiation notification as giving 15 days from the finalization of the PCN methodology to file questionnaire responses. If the final PUC/PCN notification comes out early enough that those 15 days end by November 28, 2026, that deadline stays. If the 15 days run past November 28, 2026, DGTR will notify the new deadline and the filing time extends to that later date. The letter is signed by Vivek Singh, Director, with the approval of the Designated Authority.

The letter does not say what DGTR will decide on the requested exclusions or PCN parameters, and gives no date for its notification beyond "shortly".

Issued by	Directorate General of Trade Remedies, Department of Commerce, Ministry of Commerce & Industry
Document	Letter to all interested parties, F. No. 6/43/2026-DGTR
Dated	November 5, 2026
Product	T-Shaped Elevator/ Lift Solid Guide Rails
Origin	Originating in or exported from China
Investigation initiated	September 25, 2026 (SETU Case ID AD/OI/046/2026)

Applicant	Savera India Riding Systems Company Private Limited, supported by N. Liftee Engineers
Comments received	Requests to exclude specific products and to add PCN parameters; under consideration
Questionnaire responses	Due November 28, 2026, ad interim (was November 7, 2026)
Later deadline	If 15 days from the final PUC/PCN notification run past November 28, 2026, DGTR will notify a later date
Signed by	Vivek Singh, Director, with the approval of the Designated Authority

The letter (PDF, 119 KB)

Source: DGTR's own copy.

Checked against the official copy on November 7, 2026.

IndusDesk

hello@indusdesk.com · +91 11 4141 3939

9th Floor, Hemkunt House, Rajendra Place, New Delhi, Delhi 110008, India

Read online: indusdesk.com/dgtr/insights/elevator-guide-rail-probe-replies-moved-to-november-28/